

RECEIVED

MAR 13 2019

Environmental Response &
Remediation



Stantec Consulting Services Inc.
3995 South 700 East Suite 300, Salt Lake City UT 84107

SCANNED

DERR - 2019-002841

March 11, 2019
File: 212204036

Attention: Ms. Eileen Brennan

Utah Department of Environmental Quality
Division of Environmental Response and Remediation
195 North 1950 West, 1st Floor
Salt Lake City, Utah 84116

FINAL EXECUTED/RECORDED
ENVIRONMENTAL COVENANT

signed by UPS 10/25/18 MWilliams
Signed by DERR 12/11/18 Bevert
RECORDED 2/20/19 SLCO Recorder

Reference: Environmental Covenant

UST Release Sites EFJW and EFYI

United Parcel Service Inc., Salt Lake City Small Package Facility

Dear Ms. Brennan:

Stantec Consulting Services Inc. (Stantec), on behalf of United Parcel Service Inc. (UPS), submits the enclosed copy of the recorded Environmental Covenant (EC) for the UST Release Sites EFJW and EFYI for the UPS Salt Lake City Small Package Facility located at 2040 Parkway Boulevard, West Valley City, Utah. The recorded EC is submitted to the Division of Environmental Response and Remediation (DERR) pursuant to receiving a No Further Action determination for UST Release Sites EFJW and EFYI.

The original recorded EC has been returned to UPS for their site records. Stantec has also retained a copy for our project records.

Should you have any questions or need additional information, please contact either of the undersigned.

Regards,

STANTEC CONSULTING SERVICES INC.

Jeffery F. Johnsen
Principal Consultant
Phone: (630) 792-1680
jeffery.johnsen@Stantec.com

Anna Skinner, EIT
Engineering Staff
Phone: (801) 743-4815
anna.skinner@Stantec.com

Cc Moniqua L. Williams, UPS
 Friedhelm Otto, UPS

Enclosure: Recorded Environmental Covenant

Recorded EC:
RECEIVED

MAR 13 2019

Environmental Response &
Remediation

DERR-2019-002841

12937016
02/20/2019 12:39 PM \$52.00
Book - 10754 Pg - 1443-1464
RASHELLE HOBBS
RECODER, SALT LAKE COUNTY, UTAH
UNITED PARCEL SERVICE
3995 S 700 E STE 300
SLC UT 84107
BY: SAA, DEPUTY - WI 22 P.

Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility
Page 1

Utah DERR Facility ID 4001107
2040 Parkway Blvd, WVC, UT

When Recorded Return To:

United Parcel Service Inc.

Attention – Moniqua Williams – Environmental Program Manager
Corporate Plant Engineering
55 Glenlake Parkway NE
Atlanta, GA 30328

With Copy To:

Eileen Brennan, Project Manager, Release Site EFJW and EFYI, Facility No. 4001107
Utah Department of Environmental Quality
Division of Environmental Response and Remediation, UST Branch
P.O. Box 144840
Salt Lake City, Utah 84114-4840

Parcel No. 15-22-301-004-0000

RECEIVED

NOV 02 2018

Environmental Response &
Remediation

ENVIRONMENTAL COVENANT

SCANNED

DERR-2018-012079

This environmental covenant is made pursuant to the Utah Uniform Environmental Covenants Act, Utah Code Ann. Section 57-25-101, et seq. (the "Utah Act"). United Parcel Service Inc. ("UPS"), as grantor ("Grantor") makes and imposes this environmental covenant upon the specific portion of the facility where petroleum concentrations in soil and groundwater remain above DERR Cleanup Standards more particularly described in Exhibit A and shown in Figure 2 attached hereto (this area is herein referred to as the "Property"). This environmental covenant shall run with the land, pursuant to and subject to the Utah Act.

1. Notice. Notice is hereby given that the Property is or may be contaminated with a regulated substance and therefore this environmental covenant is imposed to mitigate the risk to public health, safety and the environment.

Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility
Page 2

2. Environmental Response Project. An environmental response project was conducted on the Property under the authority of the Utah Underground Storage Tank Act, Title 19, Chapter 4 of the Utah Code Ann. that is administered by the Division of Environmental Response and Remediation (“DERR”) in the Utah Department of Environmental Quality. Soil and groundwater sample laboratory results are summarized in attached Tables 1 and 2, respectively. A plan map of the facility, including the locations of the monitoring wells, is included as attached Figure 1. Attached Figure 2 presents a detail plan map of the former underground storage tank location and area where petroleum concentrations in soil and groundwater remain above DERR Cleanup Standards.

3. Grantor. The Grantor of this environmental covenant is also an Owner as defined in Paragraph 4.

4. Owner. The “Owner” of the Property is a person who controls, occupies, or holds an interest (other than this environmental covenant) in the Property at any given time. Because this environmental covenant runs with the land, the obligations of the Owner are transferred to assigns, successors in interest, including without limitation to future owners of an interest in fee simple, mortgagees, lenders, easement holders, lessees, and any other person or entity who acquires any interest whatsoever in the Property, or any portion thereof, whether or not any reference to this environmental covenant or its provisions are contained in the deed or other conveyance instrument, or other agreements by which such person or entity acquires its interest in the Property or any portion thereof (“Transferees”). Upon transfer of an Owner’s interest in the Property, the Owner shall have no further rights or obligations hereunder. Notwithstanding the foregoing, nothing herein shall relieve Owner during the time it holds an interest in the Property of its responsibilities to comply with the terms hereof and all other provisions of applicable law or of responsibility for its failure to comply during the time it held an interest in the Property.

5. Holder. United Parcel Service Inc. shall be the grantee (“Holder”) of this environmental covenant as defined in Sections 57-25-102(6), 103(1), 103(3)(b). Holder may enforce this environmental covenant. Holder’s obligations hereunder are limited to the specific provisions and the limited purposes described herein. Subject to the provisions hereof, Holder’s rights and obligations survive the transfer of the Property.

6. Agency. The Utah Department of Environmental Quality (“UDEQ”) is the Agency (as defined in the Utah Act) under this environmental covenant. The Agency may be referred to herein as the Agency or the UDEQ. The Agency may enforce this environmental covenant. The Agency assumes no affirmative duties through the execution of this environmental covenant.

Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility
Page 3

7. Administrative Record. The environmental response project is assigned Facility Identification Number 4001107 Release Site EFJW and EFYI ("Administrative Record") on file with the DERR.

8. Activity and Use Limitations. As part of the environmental response project described above, the following activity and use limitations are imposed on the Property. These activity and use limitations were developed based on the evaluation of the property as a commercial/industrial exposure scenario. If the land use(s) change, the associated risks will be reevaluated as required by UDEQ.

a. Construction Limitations. The Owner shall take reasonable steps to prevent human contact with the contaminated soil and water in the Property except as allowed in this section. In the event that future construction activities involving excavating are planned for the Property, workers will be required to comply with the Occupational Safety and Health Administration (OSHA) training for hazardous materials facilities (29 CFR 1910.120). Petroleum impacted soil or water that is removed at that time shall be treated/disposed in accordance with applicable law. Engineering controls shall be put in place to mitigate potential vapors if structures are placed above the Property.

b. Construction Excavation and Dewatering. Excavation or disturbance of soil and water is allowed provided that the contaminated soil and water are handled, transported and disposed of in accordance with applicable law. Excavation depth will be limited by the depth to groundwater within the Property. Excavation depths below approximately 2 feet would likely require special engineering considerations as depth to groundwater in the area ranges between 2.5 to 4 feet below grade near the central portion of the site near WO-5 and 6.5 to 8 feet below grade near EW-10. Impacted soil will be encountered between approximately 3 and 9 feet below grade within the northern portion of the Property. Impacted soil is deeper towards the southern portion, between approximately 7 and 14 feet below grade. In the event of such an excavation or disturbance of the contaminated soil and water, the Owner shall develop a worker health and safety plan, and notify workers of the contaminated soil and water. Also, a written Corrective Action Plan (CAP) must be submitted to and approved by DERR prior to any excavation in excess of 50 cubic yards of soil.

If the south central corner of the facility building is demolished, the removal of the contaminated soil currently beneath the building is recommended. It is also recommended that the Owner retain a Utah DERR certified underground storage tank consultant to oversee the removal and disposal of contaminated soil and water. It is further recommended that the Owner retain a Utah DERR certified soil and groundwater sampler to conduct sampling. It is further recommended that the Owner's certified

Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility
Page 4

underground storage tank consultant or other qualified environmental professional coordinate with the UDEQ as described in paragraph 8.c below.

c. Construction Coordination. Before excavating or disturbing the contaminated soil and water the Owner will provide the UDEQ a copy of its work plan that describes how the contaminated soil and water will be properly managed. Again, excavation plans in excess of 50 cubic yards of soil will require a written CAP submitted to and approved by DERR before commencement of any such scope of work. If the Owner submits sampling results acceptable to the UDEQ that demonstrate all of the contaminated soil and water was removed from any portion of the Property, the Owner may seek amendment of this Environmental Covenant in accordance with Paragraph 13 entitled "Amendment or Termination" below.

d. Groundwater Use Limitations. In order to prevent exposure to contaminated groundwater, extraction or use of groundwater, except for investigation or remediation thereof or for construction dewatering as described in paragraph 8.b above, is prohibited.

e. Vapor Intrusion Assessment. If new construction or renovation of the existing structure is planned within the Property, the Owner shall evaluate vapor intrusion risks by doing a risk assessment. If vapor intrusion risks exist, DERR shall be notified, and the Owner shall mitigate the risk. If a vapor intrusion risk assessment is not conducted, the Owner shall install a vapor mitigation system in any structure located in the Property before the structure is occupied.

f. Compliance Reporting. Upon request, Owner or Holder shall submit written documentation to the UDEQ verifying that the activity and use limitations remain in place and are being followed.

g. Periodic Agency Oversight. Agency may register the Property with Blue Stakes to obtain notification of planned excavations in the area. Blue Stakes charges a fee for each notification. Upon request, Holder shall reimburse Agency for notification fees and any associated Agency oversight. Agency may conduct periodic inspections and reviews to assess the protectiveness of the activity and use limitations described herein. Upon request, Holder shall reimburse Agency for costs associated with inspections and reviews.

9. Compliance Enforcement. This environmental covenant may be enforced pursuant to the Utah Act. Failure to timely enforce compliance with this environmental covenant or the activity and use limitations contained herein shall not bar subsequent enforcement, and shall not be deemed a waiver of a right to take action to enforce any non-compliance. Nothing in this

Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility
Page 5

environmental covenant shall restrict the Agency from exercising any authority under applicable law.

10. Rights of Access. The right of access to the Property is permanently granted to the Agency and the Holders and their respective contractors for necessary response actions, inspections, implementation and enforcement of this environmental covenant.

11. Notice upon Conveyance. Owner shall notify the Agency and Holder within *twenty* (20) days after each transfer of ownership of all or any portion of the Property. Owner's notice to the Agency and Holder shall include the name, address and telephone number of the Transferee, a copy of the deed or other documentation evidencing the conveyance, and an unsurveyed plat that shows the boundaries of the property being transferred. Instruments that convey any interest in the Property (fee, leasehold, easement, encumbrance, etc.) shall include a notification to the person or entity who acquires the interest that the Property is subject to this environmental covenant and shall identify the date, entry no., book and page number at which this document is recorded in the records of the Salt Lake County Recorder, in the State of Utah. Failure to provide notification shall have no effect upon the enforceability and duty to comply with this environmental covenant.

12. Representations and Warranties. Grantor hereby represents and warrants to the other signatories hereto:

- a. that it is the sole fee simple owner of the Property;
- b. that it has the power and authority to enter into this environmental covenant, to grant the rights and interests herein provided and to carry out all obligations hereunder;
- c. that it has identified all other persons that own an interest in or hold an encumbrance on the Property, has notified such persons of its intention to enter into this environmental covenant, and has notified the Agency of the names and contact information of the persons holding such encumbrances as provided in Paragraph 16, below, entitled: "Notice;" and,
- d. that this environmental covenant will not materially violate or contravene or constitute a material default under any other agreement, document, or instrument to which it is a party or by which it may be bound or affected.

13. Amendment or Termination. This environmental covenant may be amended or terminated pursuant to the Utah Act. Except as set forth herein, Grantor and Holder waive any and all rights to consent or notice of amendment concerning any parcel of the Property to which Grantor or Holder has no fee simple interest at the time of amendment or termination.

Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility
Page 6

14. Effective Date, Severability and Governing Law. The effective date of this environmental covenant shall be the date upon which the fully executed environmental covenant has been recorded as a document of record for the Property with the Salt Lake County Recorder. If any provision of this environmental covenant is found to be unenforceable in any respect, the validity, legality, and enforceability of the remaining provisions shall not in any way be affected or impaired. This environmental covenant shall be governed by and interpreted in accordance with the laws of the State of Utah.

15. Recordation and Distribution of Environmental Covenant. Within *thirty (30)* days after the date of the final required signature upon this environmental covenant, Grantor shall file this environmental covenant for recording in the same manner as a deed to the Property, with the Salt Lake County Recorder's Office. Grantor shall distribute a file-and-date stamped copy of the recorded environmental covenant to the Agency.

16. Notice. Unless otherwise notified in writing by or on behalf of the pertinent party any document or communication required by this environmental covenant shall be submitted to:

If to the UDEQ:

Eileen, Brennan, Project Manager
Facility Identification No. 4001107, Release Site EFJW and EFYI
Division of Environmental Response and Remediation, UST Branch
UDEQ
P.O. Box 144840
Salt Lake City, Utah 84114-4840

If to United Parcel Service Inc.:

Moniqua Williams – Environmental Program Manager
Corporate Plant Engineering
55 Glenlake Parkway NE
Atlanta, GA 30328

17. Governmental Immunity. In executing this covenant, the Agency does not waive governmental immunity afforded by law. The Grantor, Owner, and Holder, for themselves and their successors, assigns, and Transferees, hereby fully and irrevocably release and covenant not to sue the State of Utah, its agencies, successors, departments, agents, and employees ("State") from any and all claims, damages, or causes of action arising from, or on account of the activities carried out pursuant to this environmental covenant except for an action to amend or terminate the environmental covenant pursuant to Sections 57-25-109 and 57-25-110 of the Utah Code Ann. or for a claim against the State arising directly or indirectly from or out of actions of

Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility
Page 7

employees of the State that would result in (i) liability to the State of Utah under Section 63G-7-301 of the Governmental Immunity Act of Utah, Utah Code Ann. Section 63G-7-101, et seq. or (ii) individual liability for actions not covered by the Governmental Immunity Act as indicated in Sections 63G-7-202 and -902 of the Governmental Immunity Act, as determined in a court of law.


18. Payment of Agency's Costs. Consistent with the Act and other applicable law, the Holder, if invoiced, shall reimburse Agency for its costs related to this Environmental Covenant. The invoice may be based on actual costs incurred by Agency or on the fee schedule approved by the legislature or both as applicable.

Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility

Page 8

United Parcel Service Inc., a Georgia
Corporation
as Grantor, Owner, and Holder



Moniqua Williams – Environmental Program
Manager
Corporate Plant Engineering


10/25/18

Date

State of Georgia)
: ss.
County of Duluth)

On this 25 day of October, 2018 appeared before me, Moniqua Williams, Environmental Program Manager of United Parcel Service Inc., Grantor, Owner and Holder herein, who, his identity and position having been satisfactorily established to me, affirmed to me upon oath that the governing body of United Parcel Service Inc. has authorized him to execute the foregoing environmental covenant, and did duly acknowledge in my presence having executed the same for the purposes stated therein.

Tunya O. Byner
Notary Public



UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY

The Utah Department of Environmental Quality authorized representative identified below hereby approves the foregoing environmental covenant pursuant to Utah Code Ann. Sections 57-25-102(2) and 57-25-104(1)(e).

Brent H. Everett
Brent H. Everett, Director
Division of Environmental Response and Recovery
Utah Department of Environmental Quality


11 December 2018
Date

Date

State of Utah)
County of Salt Lake) : ss.

On this 11 day of December, 2018 appeared before me Brent H. Everett, an authorized representative of the Utah Department of Environmental Quality, personally known to me, or whose identity has been satisfactorily established to me, who acknowledged to me that he executed the foregoing environmental covenant.

Jennifer S. Miller
Notary Public



Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility

Exhibit A

United Parcel Service
Salt Lake City Small Package Facility
Area of Remaining Contamination
Legal Description

A parcel of land located in the Southwest Quarter of Section 22, Township 1 South, Range 1 West, Salt Lake Base & Meridian, said parcel being more particularly described as follows:

Beginning at a point being N00°03'10"W 1065.87 feet, along the Center Section Line, and West 1847.55 feet from the South Quarter Corner of said Section 22, and running thence Southwesterly 43.84 feet along the arc of a 15.00 foot radius curve to the right, chord bears S64°39'58"W 29.82 feet; thence N31°20'27"W 327.38 feet; thence Northwesterly 16.96 feet along the arc of a 10.00 foot radius curve to the left, chord bears N80°11'04"W 15.00 feet; thence S51°48'05"W 128.63 feet; thence Northwesterly 54.25 feet along the arc of a 40.00 foot radius curve to the right, chord bears N85°11'21"W 50.19 feet; thence Northwesterly 57.87 feet along the arc of a 50.00 foot radius curve to the right, chord bears N10°20'37"W 54.70 feet; thence N21°35'52"E 64.49 feet; thence N43°15'17"E 123.10 feet; thence N47°16'39"E 30.05 feet; thence N37°42'36"E 35.78 feet; thence N25°30'16"E 29.17 feet; thence N09°54'12"W 28.53 feet; thence Northeasterly 63.64 feet along the arc of a 20.00 foot radius curve to the right, chord bears N79°00'11"E 39.99 feet; thence S11°17'11"E 69.70 feet; thence S20°01'29"E 468.20 feet to the Point of Beginning.

Contains: 60,826 SF or 1.40 AC.

Note: The Basis of Bearings for this description is between 2 existing Salt Lake County Section Corner Monuments. The Bearing between the South Quarter Corner and the Center Quarter Corner of Section 22, Township 1 South, Range 1 West, Salt Lake Base & Meridian, is N00°03'10"W as shown on the Salt Lake County ARP.

Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility

TABLES

Table 1
Soil Sample Analytical Results
UPS Salt Lake City Small Package Facility
2040 West Parkway Boulevard
West Valley City, Utah

| Sample Location | Date | Depth (feet bgs) | MtBE | Benzene | Toluene | Ethyl Benzene | Total Xylene | Naphthalene | TPH-GRO | TPH-DRO | Oil and Grease |
|--|-----------|------------------|----------|--------------|------------|---------------|--------------|-------------|--------------|---------|----------------|
| Data Collected as part of Gasoline Release - EFYI | | | | | | | | | | | |
| B11 | 1989 | 5.5 | NA | 12 | 120 | 40 | 250 | NA | 3,900 | NA | NA |
| | 1989 | 10.5 | NA | <0.1 | <0.1 | 0.74 | <0.1 | NA | 5.4 | NA | NA |
| NB11 | 4/27/2010 | 5 | <0.001 | 0.001 | <0.001 | 0.007 | 0.008 | 0.006 | 1.84 | <10 | NA |
| | 4/27/2010 | 8 | <0.001 | <0.001 | 0.056 | 0.146 | 2.47 | 0.604 | 645 | 41.5 | NA |
| B12 | 1989 | 4.5 | NA | 1.3 | 8.5 | 2.0 | 14 | NA | 190 | NA | NA |
| NB12 | 4/27/2010 | 5 | <0.001 | <0.001 | <0.001 | 0.006 | 0.039 | 0.035 | 2.94 | <10 | NA |
| | 4/27/2010 | 7 | <0.001 | <0.001 | 0.001 | 0.002 | 0.008 | 0.052 | 12.4 | <10 | NA |
| B13 | 1989 | 6.5 | NA | 3.6 | 31 | 7.5 | 48 | NA | 680 | NA | NA |
| NB13 | 4/27/2010 | 5 | <0.001 | 0.023 | 0.007 | 0.106 | 0.133 | 0.089 | 1.62 | <10 | NA |
| | 4/27/2010 | 12 | <0.005 | 0.192 | 0.702 | 1.15 | 3.45 | 1.11 | 41.8 | 21.5 | NA |
| B16 | 1989 | 7.5 | NA | 3.2 | 13 | 3.5 | 21 | NA | 360 | NA | NA |
| B17 | 1989 | 7 | NA | 5.0 | 28 | 7.7 | 48 | NA | 720 | NA | NA |
| B18 | 1989 | 7 | NA | 8.3 | 29 | 6.7 | 41 | NA | 680 | NA | NA |
| NB18 | 4/27/2010 | 8 | <0.001 | 0.475 | 0.976 | 1.19 | 2.66 | 0.658 | 51.3 | <10 | NA |
| | 4/27/2010 | 13 | <0.01 | 0.462 | 0.362 | 4.87 | 13.4 | 1.14 | 123 | 14.7 | NA |
| B19 | 1989 | 10.5 | NA | 2.5 | 6.4 | 1.4 | 8.0 | NA | 190 | NA | NA |
| B21 | 1989 | 10 | NA | 2.7 | 17 | 6.0 | 37 | NA | 1,100 | NA | NA |
| NB21 | 4/27/2010 | 10 | <0.001 | 0.094 | 0.004 | 0.095 | 0.018 | 0.063 | 6.46 | <10 | NA |
| | 4/27/2010 | 11 | <0.001 | 0.158 | 0.015 | 0.509 | 0.398 | 0.233 | 18.0 | 57.6 | NA |
| B23 | 1989 | 10 | NA | 0.4 | 0.36 | <0.1 | 0.17 | NA | 1.8 | NA | NA |
| B24 | 1989 | 7 | NA | 1.3 | 17 | 8.0 | 49 | NA | 630 | NA | NA |
| B26 | 1989 | 10 | NA | 0.63 | 3.2 | 0.45 | 2.9 | NA | 25 | NA | NA |
| B29 | 1989 | 10 | NA | <0.1 | <0.1 | <0.1 | <0.1 | NA | <0.5 | NA | NA |
| B40 | 4/27/2010 | 5 | <0.001 | <0.001 | <0.001 | <0.001 | <0.003 | 0.005 | 0.064 | <10 | NA |
| | 4/27/2010 | 10 | <0.001 | <0.001 | <0.001 | <0.001 | <0.003 | <0.002 | <0.05 | <10 | NA |
| B40R | 4/6/2011 | 5 | <0.00637 | <0.00318 | <0.00637 | <0.00637 | <0.00637 | <0.00637 | <0.0637 | NA | NA |

Table 1
Soil Sample Analytical Results
UPS Salt Lake City Small Package Facility
2040 West Parkway Boulevard
West Valley City, Utah

| Sample Location | Date | Depth (feet bgs) | MtBE | Benzene | Toluene | Ethyl Benzene | Total Xylene | Naphthalene | TPH-GRO | TPH-DRO | Oil and Grease |
|--|-----------|------------------|----------|--------------|-----------|---------------|--------------|-------------|--------------|---------|----------------|
| Data Collected as part of Used Oil Release - EFJW | | | | | | | | | | | |
| WO1 | 1990 | 5 | NA | NA | NA | NA | NA | NA | NA | NA | 480 |
| WO2 | 1990 | 4 | NA | NA | NA | NA | NA | NA | NA | NA | 350 |
| | 1990 | 6 | NA | NA | NA | NA | NA | NA | NA | NA | 330 |
| | 1990 | 12 | NA | NA | NA | NA | NA | NA | NA | NA | 380 |
| | 1990 | 4 | NA | NA | NA | NA | NA | NA | NA | NA | 260 |
| WO3 | 1990 | 7 | NA | NA | NA | NA | NA | NA | NA | NA | 360 |
| WO4 | 1990 | 4 | NA | NA | NA | NA | NA | NA | NA | NA | 4,900 |
| | 1990 | 6 | NA | NA | NA | NA | NA | NA | NA | NA | 8,500 |
| | 1990 | 12 | NA | NA | NA | NA | NA | NA | NA | NA | 300 |
| NBWO4 | 4/27/2010 | 3 | <0.25 | 13 | 19 | 14 | 83 | 3.4 | 1,100 | NA | 14,000 |
| | 4/27/2010 | 4.5 | <1.2 | 37 | 52 | 30 | 190 | 10 | 2,600 | NA | 12,000 |
| NB04B | 5/2/2012 | 4.5 | <0.0240 | 0.84 | 0.310 | 0.405 | 2.42 | 0.303 | 36.2 | NA | 3,350 |
| | 5/2/2012 | 6 | <0.0264 | 1.60 | 2.19 | 2.39 | 9.65 | 1.08 | 156 | NA | 759 |
| WO5 | 1990 | 4 | NA | NA | NA | NA | NA | NA | NA | NA | 4,700 |
| | 1990 | 7 | NA | NA | NA | NA | NA | NA | NA | NA | 490 |
| | 1990 | 12 | NA | NA | NA | NA | NA | NA | NA | NA | 310 |
| WO6 | 1990 | 7 | NA | NA | NA | NA | NA | NA | NA | NA | 550 |
| WO7 | 1990 | 4 | NA | NA | NA | NA | NA | NA | NA | NA | 1,100 |
| | 1990 | 6 | NA | NA | NA | NA | NA | NA | NA | NA | 550 |
| WO8 | 4/6/2011 | 3 | <0.00598 | <0.00299 | <0.00598 | <0.00598 | <0.00598 | <0.00598 | <0.0598 | NA | <180 |
| | 4/6/2011 | 6 | <0.00654 | <0.00327 | <0.00654 | <0.00654 | <0.00654 | <0.00654 | <0.0654 | NA | <197 |
| WO9 | 4/6/2011 | 3 | <0.00607 | <0.00303 | <0.00607 | <0.00607 | <0.00607 | <0.00607 | <0.0607 | NA | <183 |
| | 4/6/2011 | 7 | <0.00655 | <0.00328 | <0.00655 | <0.00655 | <0.00655 | <0.00655 | 1.26 | NA | <192 |
| WO10 | 4/6/2011 | 3 | <0.00618 | <0.00309 | <0.00618 | <0.00618 | <0.00618 | <0.00618 | <0.0618 | NA | <185 |
| | 4/6/2011 | 6 | <0.00688 | <0.00344 | <0.00688 | <0.00688 | <0.00688 | <0.00688 | <0.0688 | NA | <202 |
| WO11 | 4/6/2011 | 4 | <0.00629 | <0.00315 | <0.00629 | <0.00629 | <0.00629 | <0.00629 | 0.439 | NA | <188 |
| | 4/6/2011 | 8 | <0.00722 | <0.00361 | 0.0104 | <0.00722 | <0.00722 | <0.00722 | 7.00 | NA | <218 |
| WO12 | 4/6/2011 | 5 | <0.0207 | 0.0327 | <0.0207 | <0.0207 | <0.0207 | <0.0207 | 32.1 | NA | <203 |
| | 4/6/2011 | 8 | <0.00691 | 0.327 | 0.0157 | 0.272 | 0.0317 | 0.0391 | 1.94 | NA | <206 |

Table 1
Soil Sample Analytical Results
UPS Salt Lake City Small Package Facility
2040 West Parkway Boulevard
West Valley City, Utah

| Sample Location | Date | Depth (feet bgs) | MtBE | Benzene | Toluene | Ethyl Benzene | Total Xylene | Naphthalene | TPH-GRO | TPH-DRO | Oil and Grease |
|--------------------------------------|-----------|------------------|-------------|-----------|------------|---------------|--------------|----------------|--------------|---------------|----------------|
| B44 | 10/1/2011 | 7 | <0.00246 | <0.00246 | <0.00246 | <0.00246 | <0.00246 | <0.00246 | NA | NA | NA |
| B45 | 10/1/2011 | 4 | <0.00226 | <0.00226 | <0.00226 | <0.00226 | <0.00226 | <0.00226 | NA | NA | NA |
| B46 | 10/1/2011 | 4 | <0.00234 | <0.00234 | <0.00234 | <0.00234 | <0.00234 | <0.00234 | NA | NA | NA |
| B47 | 5/2/2012 | 8 | <0.0263 | 0.132 | 0.417 | 0.914 | 4.67 | 0.548 | 72.8 | NA | <197 |
| B48 | 5/2/2012 | 3 | <0.00598 | <0.00299 | <0.00598 | <0.00598 | <0.00598 | <0.00598 | <0.0598 | NA | <179 |
| | 5/2/2012 | 6 | <0.00630 | <0.00315 | <0.00630 | <0.00630 | <0.00630 | <0.00630 | <0.0630 | NA | <191 |
| B49 | 5/2/2012 | 3 | <0.00570 | <0.00285 | <0.00570 | <0.00570 | <0.00570 | <0.00570 | <0.0570 | NA | <172 |
| | 5/2/2012 | 5 | <0.00628 | <0.00314 | <0.00628 | <0.00628 | <0.00628 | <0.00628 | 0.385 | NA | <189 |
| Initial Screening Levels | | 0.30 | 0.20 | 9 | 5 | 142 | 51 | 150 | 500 | 1,000 | |
| RBCA Tier 1 Screening Levels | | 0.30 | 0.90 | 25 | 23 | 142 | 51 | 1,500 | 5,000 | 10,000 | |
| EPA Region 9 Residential PRGs | | 32 | 0.64 | 9 | 520 | 270 | 56 | No PRG* | | | |
| EPA Region 9 Industrial PRGs | | 70 | 1.40 | 9 | 520 | 420 | 190 | No PRG* | | | |

Explanation of Abbreviations

mg/Kg = milligrams per kilogram or approximately ppm

bgs = below ground surface

MtBE = methyl tertiary butyl ether

TPH-GRO = gasoline-range total petroleum hydrocarbons

TPH-DRO = diesel-range total petroleum hydrocarbons

Oil & Grease = heavy hydrocarbons, with recent sampling as TRPH

bgs = below ground surface

< = analyte not detected above the laboratory reporting limit

NA = not analyzed

ISL = Initial Screening Level

RBCA = Risk-Based Corrective Action

PRG = Preliminary Removal Goal

bold = exceeds Initial Screening Level or EPA Region 9 Residential PRGs

bold = exceeds RBCA Tier 1 Screening Level or EPA Region 9 Industrial PRGs

Most recent data collected spring 2012.

NOTES: All data collected prior to 2010 and presented above in this table was obtained from a UDEQ-DERR file review conducted by Stantec. The data was collected by others and cannot be confirmed, verified, or validated by Stantec.

Table 2
Groundwater Analytical Results
UPS Salt Lake City Small Package Facility
2040 West Parkway Boulevard
West Valley City, Utah

| Well ID | Date | Relative Well Elevation (feet) | Depth to Water (feet) | Groundwater Elevation (feet) | Product Thickness (feet) | Groundwater Concentrations (mg/L) | | | | | | | | |
|--|------------|---------------------------------------|---------------------------------------|------------------------------|--------------------------|-----------------------------------|---------|---------|---------------|---------------|-------------|---------|---------|--------------|
| | | | | | | MtBE | Benzene | Toluene | Ethyl Benzene | Total Xylenes | Naphthalene | TPH-GRO | TPH-DRO | Oil & Grease |
| Data Collected as Part of Gasoline Release - EFYI | | | | | | | | | | | | | | |
| B-11 | 8/1/1989 | Not Surveyed | 3.61 | NM | NA | 0.38 | 0.27 | 0.27 | 0.16 | NA | 39 | NA | NA | NA |
| | 9/1/1991 | | NR | NR | NR | 2.1 | 2.3 | 0.27 | 1.0 | 0.014 | 130 | NA | NA | NA |
| | 1/1/1992 | | NR | NR | NR | 2.0 | 5.4 | 1.4 | 5.0 | 2.1 | 120 | NA | NA | NA |
| | 4/1/1992 | | NR | NR | NR | 2.3 | 3.9 | 2.1 | 11.0 | 0.36 | 55 | NA | NA | NA |
| | 7/1/1992 | | NR | NR | NR | 2.0 | 8.4 | 1.5 | 7.3 | 0.24 | 55 | NA | NA | NA |
| | 12/1/1993 | | NR | NR | NR | 1.4 | 9.4 | 1.6 | 15 | 0.26 | 67 | NA | NA | NA |
| | 2/1/1995 | | NR | NR | NR | 0.79 | 4.7 | 1.2 | 7.4 | 0.18 | 29 | NA | NA | NA |
| | 2/1/1996 | | NR | NR | NR | 0.6 | 2.3 | 1.1 | 3.7 | 0.28 | 35 | NA | NA | NA |
| | 10/1/1998 | | 2.22 | NM | NM | 0.0074 | 0.32 | 1.5 | 0.85 | 4.0 | 0.23 | 23 | NA | NA |
| | 8/1/2001 | | 2.52 | NM | NM | <0.067 | 0.196 | 1.32 | 0.632 | 3.87 | 0.138 | 16.5 | 4.9 | NA |
| B-12 | 8/1/1989 | Not Surveyed | 4.29 | NM | NA | 0.37 | 0.21 | 0.14 | 0.37 | NA | 42 | NA | NA | NA |
| | 4/1/1990 | | 2.96 | NM | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 2/1/1991 | | NR | NR | NR | 4.1 | 7.3 | 0.78 | 3.9 | NA | 61 | NA | NA | NA |
| | 6/1/1991 | | NR | NR | NR | 7.0 | 6.5 | 1.1 | 6.0 | 0.39 | 76 | NA | NA | NA |
| | 9/1/1991 | | NR | NR | NR | 1.8 | 7.2 | 0.88 | 4.4 | NA | 31 | NA | NA | NA |
| | 1/1/1992 | | NR | NR | NR | 2.9 | 6.4 | 1.5 | 4.8 | 0.37 | 52 | NA | NA | NA |
| | 4/1/1992 | | NR | NR | NA | 0.26 | 0.23 | 0.17 | 0.89 | 0.03 | 5.8 | NA | NA | NA |
| | 7/1/1992 | | NR | NR | NA | 4.2 | 7.9 | 1.7 | 6.5 | 0.25 | 53 | NA | NA | NA |
| | 12/1/1993 | | NR | NR | NR | 1.3 | 0.40 | 0.39 | 1.6 | 0.16 | 16 | NA | NA | NA |
| | 8/1/2001 | | 3.36 | NM | NM | <0.03 | 0.0396 | <0.03 | 0.0478 | 0.0316 | 0.0349 | 2.0 | 1.5 | NA |
| B-13 | 8/1/1989 | Not Surveyed | 4.88 | NM | NM | 0.55 | 0.31 | 0.21 | 0.50 | NA | 45 | NA | NA | NA |
| | 2/1/1991 | | NR | NR | NR | 5.1 | 11 | 2.3 | 6.7 | NA | 80 | NA | NA | NA |
| | 6/1/1991 | | NR | NR | NR | 5.9 | 8.5 | 1.1 | 7.6 | 0.33 | 52 | NA | NA | NA |
| | 9/1/1991 | | NR | NR | NR | 5.6 | 14 | 1.8 | 8.5 | 0.06 | 110 | NA | NA | NA |
| | 1/1/1992 | | NR | NR | NR | 3.1 | 6.5 | 1.1 | 3.9 | 0.31 | 60 | NA | NA | NA |
| | 4/1/1992 | | NR | NR | NR | 3.8 | 3.1 | 2.0 | 7.3 | 0.28 | 61 | NA | NA | NA |
| | 7/1/1992 | | NR | NR | NR | 7.0 | 12 | 1.7 | 6.4 | 0.29 | 76 | NA | NA | NA |
| | 12/1/1993 | | NR | NR | NR | 8.6 | 13 | 1.6 | 7.7 | 0.23 | 61 | NA | NA | NA |
| | 10/1/1998 | | NR | NR | NR | 11.0 | 14.0 | 0.76 | 4.9 | NA | 35 | NA | NA | NA |
| | 2/1/1991 | | NR | NR | NR | 4.6 | 6.3 | 0.28 | 2.2 | NA | 91 | NA | NA | NA |
| B-18 | 6/1/1991 | Not Surveyed | NR | NR | NR | 1.2 | 1.9 | 0.53 | 2.0 | 0.06 | 36 | NA | NA | NA |
| | 9/1/1991 | | NR | NR | NR | <0.002 | 0.029 | 0.015 | 0.003 | <0.004 | 1.9 | NA | NA | NA |
| | 1/1/1992 | | NR | NR | NR | 1.7 | 3.7 | 0.66 | 2.2 | 0.18 | 40 | NA | NA | NA |
| | 4/1/1992 | | NR | NR | NR | 4.6 | 3.0 | 1.2 | 5.8 | 0.08 | 61 | NA | NA | NA |
| | 7/1/1992 | | NR | NR | NR | 4.8 | 8.1 | 0.80 | 3.3 | 0.14 | 54 | NA | NA | NA |
| | 12/1/1993 | | NR | NR | NR | 26 | 16 | 1.4 | 8.1 | 0.16 | 88 | NA | NA | NA |
| | 8/1/2001 | | 4.50 | NM | NM | <0.067 | 6.390 | 0.287 | 0.790 | 1.480 | 0.12 | 20.1 | 5.7 | NA |
| | 4/5/2010 | | 2.79 | 97.33 | ND | <0.001 | 2.83 | 0.067 | 0.750 | 0.245 | 0.14 | 7.57 | <1 | NA |
| | 4/7/2011 | | 2.40 | 97.72 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 7/20/2011 | | 3.06 | 97.06 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| B-25 | 5/3/2012 | 100.12 | 3.52 | 96.60 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/9/2012 | | 3.93 | 96.19 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 4/30/2013 | | 3.01 | 97.11 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/16/2013 | | 3.75 | 96.37 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 4/22/2014 | | 3.59 | 96.53 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/1/2014 | | 2.99 | 97.13 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/1/1989 | | NR | NR | NR | NA | <0.015 | <0.015 | <0.015 | <0.015 | NA | <0.05 | NA | NA |
| | 2/1/1991 | | NR | NR | NR | NA | <0.002 | 0.006 | <0.002 | 0.004 | NA | <0.02 | NA | NA |
| | 6/1/1991 | | NR | NR | NR | NA | 0.005 | 0.012 | <0.002 | 0.023 | <0.004 | 0.041 | NA | NA |
| | 10/1/1991 | | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA |
| B-25 | 1/1/1992 | Not Surveyed | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA |
| | 4/1/1992 | | NR | NR | NR | NA | 0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA |
| | 7/1/1992 | | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA |
| | 12/1/1993 | | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA |
| | 2/1/1995 | | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.020 | NA | NA |
| | 2/1/1996 | | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.020 | NA | NA |
| | 10/1/1998 | | 2.95 | NM | ND | <0.002 | <0.001 | <0.002 | <0.002 | <0.002 | <0.004 | <0.020 | NA | NA |
| | 4/7/2011 | | 2.53 | NM | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 4/30/2013 | | Well not Accessible due to Parked Car | | | | | | | | | | | |
| | 10/16/2013 | | Well not Accessible due to Parked Car | | | | | | | | | | | |
| B-25 | 4/22/2014 | Well not Accessible due to Parked Car | | | | | | | | | | | | |
| | 10/1/2014 | | Well not Accessible due to Parked Car | | | | | | | | | | | |

Table 2
Groundwater Analytical Results
UPS Salt Lake City Small Package Facility
2040 West Parkway Boulevard
West Valley City, Utah

| Well ID | Date | Relative Well Elevation (feet) | Depth to Water (feet) | Groundwater Elevation (feet) | Product Thickness (feet) | Groundwater Concentrations (mg/L) | | | | | | | | |
|---------|------------|--------------------------------|-----------------------|------------------------------|--------------------------|-----------------------------------|---------------|-------------|---------------|---------------|-------------|--------------|----------|--------------|
| | | | | | | MtBE | Benzene | Toluene | Ethyl Benzene | Total Xylenes | Naphthalene | TPH-GRO | TPH-DRO | Oil & Grease |
| B-28 | 10/1/1989 | Not Surveyed | NR | NR | NA | 1.2 | 1.7 | 0.73 | 2.2 | NA | 7.5 | NA | NA | |
| | 2/1/1991 | | NR | NR | NA | 0.74 | 0.22 | 0.68 | 0.67 | NA | 8.5 | NA | NA | |
| | 6/1/1991 | | NR | NR | NA | 0.49 | 0.48 | 0.36 | 0.93 | 0.055 | 12 | NA | NA | |
| | 9/1/1991 | | NR | NR | NA | 0.28 | 0.038 | 0.31 | 0.36 | 0.016 | 4.2 | NA | NA | |
| | 1/1/1992 | | NR | NR | NA | 0.16 | 0.04 | 0.06 | 0.10 | 0.006 | 1.7 | NA | NA | |
| | 4/1/1992 | | NR | NR | NA | 0.30 | 0.03 | 0.19 | 0.23 | 0.01 | 3.1 | NA | NA | |
| | 7/1/1992 | | NR | NR | NA | 0.14 | 0.010 | 0.003 | 0.072 | 0.021 | 2.1 | NA | NA | |
| | 12/1/1993 | | NR | NR | NA | 0.035 | <0.002 | 0.007 | 0.009 | 0.004 | 0.16 | NA | NA | |
| | 2/1/1995 | | NR | NR | NA | 0.018 | <0.002 | 0.006 | 0.004 | <0.004 | 0.24 | NA | NA | |
| | 2/1/1996 | | NR | NR | NA | 0.013 | <0.002 | 0.008 | 0.003 | <0.004 | 0.29 | NA | NA | |
| | 10/1/1998 | | 4.94 | NM | ND | <0.002 | 0.0066 | <0.002 | 0.0026 | 0.0031 | <0.004 | 0.07 | NA | NA |
| | 8/1/2001 | | 5.10 | NM | ND | <0.002 | <0.0034 | <0.002 | <0.002 | 0.006 | <0.002 | <0.5 | <0.5 | NA |
| | 4/1/2003 | | 5.87 | NM | ND | <0.005 | 0.0016 | <0.0005 | 0.0029 | 0.00056 | NA | 0.0097 | <0.00025 | NA |
| | 6/1/2004 | | 4.31 | NM | ND | <0.005 | 0.00029 | <0.001 | 0.0005 | <0.002 | <0.002 | 0.0097 | <0.00025 | NA |
| | 8/5/2005 | | 3.82 | NM | ND | <0.0025 | <0.0016 | <0.0017 | 0.00021 | <0.00019 | <0.00022 | <0.0052 | <0.013 | NA |
| | 8/1/2006 | | 4.49 | NM | ND | <0.0025 | 0.00021 | <0.00017 | 0.00028 | <0.00019 | <0.00022 | 0.0087 | <0.032 | NA |
| | 4/5/2010 | | 3.93 | 97.45 | ND | <0.001 | <0.001 | <0.001 | <0.001 | <0.003 | <0.002 | <0.05 | <1 | NA |
| | 4/8/2011 | | 3.19 | 98.19 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA |
| | 7/20/2011 | | 3.51 | 97.87 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA |
| | 9/29/2011 | | 4.16 | 97.22 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/3/2012 | | 4.60 | 96.78 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA |
| | 10/9/2012 | | 4.55 | 96.83 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA |
| | 4/30/2013 | | 3.98 | 97.40 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA |
| | 10/18/2013 | | 3.80 | 97.58 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA |
| | 4/22/2014 | | 4.07 | 97.31 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA |
| | 10/1/2014 | | 3.47 | 97.91 | ND | <0.005 | <0.002 | <0.005 | <0.005 | <0.005 | <0.005 | <0.05 | <0.24 | NA |
| | 4/22/2015 | | 4.54 | 96.84 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/14/2015 | | 5.37 | 96.01 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/19/2016 | | 4.80 | 96.58 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| B-29 | 10/1/1989 | Not Surveyed | NR | NR | NA | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | NA | <0.05 | NA | NA |
| | 2/1/1991 | | NR | NR | NA | 0.03 | 0.06 | 0.003 | 0.04 | NA | 0.79 | NA | NA | NA |
| | 6/1/1991 | | NR | NR | NA | 0.039 | 0.12 | 0.019 | 0.099 | 0.006 | 0.19 | NA | NA | NA |
| | 10/1/1991 | | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA | NA |
| | 1/1/1992 | | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA | NA |
| | 4/1/1992 | | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA | NA |
| | 7/1/1992 | | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA | NA |
| | 12/1/1993 | | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA | NA |
| | 2/1/1995 | | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.020 | NA | NA | NA |
| | 2/1/1996 | | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.020 | NA | NA | NA |
| | 10/1/1998 | | 7.40 | NR | ND | <0.002 | <0.001 | <0.002 | <0.002 | <0.004 | <0.020 | NA | NA | NA |
| B-30 | 2/1/1991 | Not Surveyed | NR | NR | NA | 3.4 | 8.5 | 0.97 | 3.9 | NA | 140 | NA | NA | NA |
| | 6/1/1991 | | NR | NR | NA | 7.6 | 13 | 2.1 | 12.0 | 0.28 | 66 | NA | NA | NA |
| | 9/1/1991 | | NR | NR | NA | 0.68 | 0.035 | 0.024 | 0.049 | 0.11 | 23 | NA | NA | NA |
| | 1/1/1992 | | NR | NR | NA | 3.7 | 6.9 | 1.6 | 5.5 | 0.26 | 72 | NA | NA | NA |
| | 4/1/1992 | | NR | NR | NA | 4.3 | 3.5 | 2.0 | 8.5 | 0.32 | 66 | NA | NA | NA |
| | 7/1/1992 | | NR | NR | NA | 6.8 | 18 | 1.8 | 10 | 0.30 | 92 | NA | NA | NA |
| B-31 | 2/1/1991 | Not Surveyed | NR | NR | NA | 4.6 | 6.9 | 0.6 | 3.2 | NA | 95 | NA | NA | NA |
| | 9/1/1991 | | NR | NR | NA | 4.4 | 4.5 | 3.2 | 7.2 | 0.11 | 200 | NA | NA | NA |
| | 1/1/1992 | | NR | NR | NA | 1.6 | 2.0 | 0.76 | 2.3 | 0.35 | 43 | NA | NA | NA |
| | 4/1/1992 | | NR | NR | NA | 4.7 | 3.8 | 1.5 | 7.4 | 0.22 | 59 | NA | NA | NA |
| | 7/1/1992 | | NR | NR | NA | 7.6 | 11 | 1.2 | 7.9 | 0.16 | 72 | NA | NA | NA |
| | 2/1/1993 | | NR | NR | NA | 2.9 | 4.9 | 0.75 | 3.5 | NA | 41 | NA | NA | NA |
| B-32 | 9/1/1991 | Not Surveyed | NR | NR | NA | 0.86 | 0.59 | 0.11 | 0.45 | 0.006 | 4.2 | NA | <1 | NA |
| | 1/1/1992 | | NR | NR | NA | 1.7 | 4.3 | 0.96 | 3.0 | 0.39 | 43 | NA | NA | NA |
| | 4/1/1992 | | NR | NR | NA | 3.6 | 3.4 | 2.2 | 7.7 | 0.29 | 69 | NA | NA | NA |
| | 7/1/1992 | | NR | NR | NA | 6.4 | 12 | 1.9 | 10 | 0.28 | 67 | NA | NA | NA |
| | 12/1/1993 | | NR | NR | NA | 1.6 | 0.046 | 0.25 | 0.26 | 0.031 | 2.8 | NA | NA | NA |
| | 8/1/2001 | | 6.10 | NM | ND | <0.002 | <0.0754 | <0.002 | <0.002 | <0.006 | <0.002 | <0.5 | <0.5 | NA |
| | 4/1/2003 | | 7.23 | NM | ND | <0.012 | 0.059 | <0.0012 | <0.0012 | <0.0012 | NA | 0.065 | <0.00025 | NA |
| | 6/1/2004 | | 4.90 | NM | ND | <0.017 | 0.150 | 0.0013 | 0.0038 | 0.0037 | 0.002 | 0.620 | <0.25 | NA |
| | 8/1/2005 | | 4.10 | NM | ND | <0.0017 | 0.110 | 0.0012 | 0.0096 | 0.0095 | <0.0015 | 0.500 | 0.020 | NA |
| | 8/1/2006 | | 4.85 | NM | ND | <0.0025 | 0.260 | 0.0027 | 0.0097 | 0.0069 | <0.0022 | 1.000 | 0.11 | NA |
| | 4/5/2010 | | 4.09 | 96.19 | ND | <0.001 | 1.61 | 0.039 | 0.385 | 0.303 | 0.067 | 3.68 | <1 | NA |
| | 4/7/2011 | | 3.23 | 97.05 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 7/20/2011 | | 2.96 | 97.32 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/3/2012 | | 4.95 | 95.33 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/9/2012 | | 5.07 | 95.21 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| B-33 | 4/30/2013 | Not Surveyed | 4.27 | 96.01 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/16/2013 | | 3.40 | 96.88 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 4/22/2014 | | 4.70 | 95.58 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 7/1/2014 | | 3.20 | 97.08 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 2/1/1991 | | NR | NR | NA | 4.4 | 5.5 | 0.44 | 3.8 | NA | 65 | NA | NA | NA |
| | 9/1/1991 | | NR | NR | NA | 0.007 | 0.006 | <0.002 | 0.007 | 0.056 | 0.093 | NA | NA | NA |
| | 1/1/1992 | | NR | NR | NA | 1.6 | 2.3 | 0.92 | 2.7 | 0.56 | 67 | NA | NA | NA |
| | 4/1/1992 | | NR | NR | NA | 3.7 | 1.3 | 2.1 | 7.4 | 0.10 | 59 | NA | NA | NA |
| | 7/1/1992 | | NR | NR | NA | 6. | | | | | | | | |

Table 2
Groundwater Analytical Results
UPS Salt Lake City Small Package Facility
2040 West Parkway Boulevard
West Valley City, Utah

| Well ID | Date | Relative Well Elevation (feet) | Depth to Water (feet) | Groundwater Elevation (feet) | Product Thickness (feet) | Groundwater Concentrations (mg/L) | | | | | | | | | |
|---------|------------|--------------------------------|-----------------------|------------------------------|--------------------------|-----------------------------------|----------|----------|---------------|---------------|-------------|---------|----------|--------------|---------------------|
| | | | | | | MtBE | Benzene | Toluene | Ethyl Benzene | Total Xylenes | Naphthalene | TPH-GRO | TPH-DRO | Oil & Grease | |
| B-37 | 7/1/1992 | Not Surveyed | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA | |
| | 12/1/1993 | | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.02 | NA | NA | |
| | 2/1/1995 | | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.020 | NA | NA | |
| | 2/1/1996 | | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.020 | NA | NA | |
| | 10/1/1998 | | 4.99 | NM | ND | <0.002 | <0.001 | <0.002 | <0.002 | <0.002 | <0.004 | <0.020 | NA | NA | |
| | 8/1/2001 | | 4.00 | NM | ND | <0.002 | <0.002 | <0.002 | <0.002 | <0.006 | <0.002 | <0.5 | <0.5 | NA | |
| | 4/1/2003 | | 5.21 | NM | ND | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | NA | <0.0005 | <0.00025 | NA | |
| | 6/1/2004 | | 3.80 | NM | ND | <0.005 | <0.001 | <0.001 | <0.001 | <0.002 | <0.001 | <0.025 | <0.25 | NA | |
| | 8/1/2005 | | 3.72 | NM | ND | <0.0025 | <0.00016 | <0.00017 | <0.00016 | <0.00019 | <0.00022 | <0.0052 | <0.013 | NA | |
| | 8/1/2006 | | 3.96 | NM | ND | <0.0025 | <0.00016 | <0.00017 | <0.00016 | <0.00019 | <0.00022 | 0.013 | 0.038 | NA | |
| | 4/5/2010 | | 2.52 | 96.10 | ND | <0.001 | 0.002 | 0.003 | <0.001 | <0.003 | <0.002 | <0.05 | <1 | NA | |
| | 4/8/2011 | | 2.41 | 96.21 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 7/20/2011 | | 2.71 | 95.91 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 9/29/2011 | | 3.31 | 95.31 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/3/2012 | | 3.00 | 95.62 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 10/9/2012 | | 3.57 | 95.05 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 5/1/2013 | | 2.77 | 95.85 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 10/17/2013 | | 3.15 | 95.47 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 4/2/2014 | | 3.26 | 95.36 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 10/1/2014 | | 2.81 | 95.81 | ND | <0.005 | <0.002 | <0.005 | <0.005 | <0.005 | <0.005 | <0.24 | NA | NA | |
| | 4/2/2015 | | 2.95 | 95.67 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/14/2015 | | 3.32 | 95.30 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/19/2016 | | 2.79 | 95.83 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| B-40 | 4/27/2010 | 99.82 | NM | NM | NM | <0.001 | <0.001 | <0.001 | <0.001 | <0.003 | 0.003 | 0.081 | <1 | NA | |
| | 4/8/2011 | | 4.74 | 95.08 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 7/20/2011 | | 4.49 | 95.33 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 9/29/2011 | | 6.36 | 93.46 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/3/2012 | | 6.09 | 93.73 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 10/9/2012 | | 7.61 | 92.21 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 5/1/2013 | | 7.58 | 92.24 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 10/17/2013 | | 5.50 | 94.32 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 4/22/2014 | | 7.47 | 92.35 | ND | <0.00200 | <0.00100 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA | |
| | 10/1/2014 | | 2.85 | 96.97 | ND | <0.005 | <0.002 | <0.005 | <0.005 | <0.005 | <0.005 | <0.24 | NA | NA | |
| | 4/22/2015 | | 7.61 | 92.21 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/14/2015 | | 6.02 | 93.80 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/19/2016 | | 5.83 | 93.99 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| MW-101 | 9/1/1991 | Not Surveyed | NR | NR | NR | NA | 0.065 | 0.027 | 0.16 | <0.002 | <0.004 | 3.2 | NA | NA | |
| | 1/1/1992 | | NR | NR | NR | NA | 0.07 | 0.04 | 0.008 | 0.09 | 0.01 | 0.99 | NA | NA | |
| | 4/1/1992 | | NR | NR | NR | NA | 0.06 | 0.03 | 0.01 | 0.03 | <0.02 | 0.13 | NA | NA | |
| | 7/1/1992 | | NR | NR | NR | NA | 0.004 | <0.002 | <0.002 | <0.002 | <0.004 | 0.090 | NA | NA | |
| MW-102 | 10/1/1991 | Not Surveyed | NR | NR | NR | NA | 1.4 | 0.8 | 0.3 | 1.2 | 1.7 | 15 | NA | NA | |
| | 1/1/1992 | | NR | NR | NR | NA | 0.4 | 2.0 | 0.75 | 3.2 | 0.15 | <0.02 | NA | NA | |
| | 4/1/1992 | | NR | NR | NR | NA | 0.18 | 0.25 | 0.30 | 1.2 | 0.08 | 8.9 | NA | NA | |
| | 7/1/1992 | | NR | NR | NR | NA | 0.36 | 0.57 | 0.21 | 2.3 | 0.23 | 5.7 | NA | NA | |
| IW-5 | 8/1/2001 | | 2.00 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.03 | <0.01 | 3.9 | 197 | NA | |
| IW-6 | 1/1/1992 | 99.82 | NR | NR | NR | NA | <0.002 | <0.002 | <0.002 | <0.002 | <0.004 | <0.004 | <0.02 | NA | NA |
| | 4/5/2010 | | 2.70 | 97.12 | ND | <0.001 | 0.207 | 0.189 | 0.166 | 0.807 | 0.040 | 0.724 | <1 | NA | |
| | 4/7/2011 | | 2.20 | 97.62 | ND | <0.00200 | 0.0250 | 0.0227 | 0.0688 | 0.320 | 0.0248 | 1.00 | NA | <3.00 | |
| | 7/20/2011 | | 2.39 | 97.43 | ND | <0.00200 | 0.0563 | 0.102 | 0.0777 | 0.390 | 0.0288 | 0.972 | NA | <3.00 | |
| | 7/29/2011 | | 2.99 | 96.83 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 4/30/2013 | | | | | | | | | | | | | | Well Abandoned 2012 |
| IW-10 | 6/1/1991 | 100.14 | NM | NR | NR | NA | 0.58 | 1.4 | 0.16 | 1.20 | 0.52 | 7.6 | NA | NA | |
| | 4/5/2010 | | 2.94 | 97.20 | ND | <0.005 | 1.12 | 0.059 | 0.063 | 0.157 | 0.015 | 3.85 | <1 | NA | |
| | 7/20/2011 | | 3.09 | 97.05 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 5/3/2012 | | 3.40 | 96.74 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 10/9/2012 | | 3.97 | 96.17 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 4/30/2013 | | 3.11 | 97.03 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 10/16/2013 | | 3.55 | 96.59 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 4/2/2014 | | 3.65 | 96.49 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 10/1/2014 | | 3.00 | 97.14 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 4/2/2015 | | 3.62 | 96.52 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 10/14/2015 | | 3.89 | 96.25 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 5/19/2016 | | 3.65 | 96.49 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| IW-14 | 1/1/1992 | 101.18 | NR | NR | NR | NA | 0.02 | 0.01 | <0.002 | 0.19 | <0.004 | 1.4 | NA | NA | |
| | 4/6/2010 | | 4.35 | 96.83 | ND | <0.005 | 1.35 | 0.022 | 0.055 | 0.156 | 0.006 | 1.71 | <1 | NA | |
| | 4/7/2011 | | 2.75 | 98.43 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 7/20/2011 | | 3.40 | 97.78 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 5/3/2012 | | 3.68 | 97.50 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 10/9/2012 | | 4.31 | 96.87 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 4/30/2013 | | 3.47 | 97.71 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 10/16/2013 | | 3.85 | 97.33 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 4/2/2014 | | 4.02 | 97.16 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 10/1/2014 | | 3.38 | 97.80 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 4/2/2015 | | 4.17 | 97.01 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 10/14/2015 | | 4.60 | 96.58 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| | 5/19/2016 | | 4.06 | 97.12 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| EW-1 | 2/1/1991 | 99.17 | NR | NR | NR | NA | 3.0 | 3.4 | 0.10 | 1.8 | NA | 33 | NA | NA | |
| | 8/1/2001 | | 3.50 | NR | NR | <0.002 | 0.041 | <0.002 | <0.006 | <0.002 | <0.5 | <0.5 | NA | NA | |
| | 4/3/2003 | | 4.33 | NR | NR | <0.0025 | 0.120 | <0.0025 | 0.0026 | 0.0039 | NA | 0.150 | <0.00025 | NA | |
| | 6/1/2004 | | 2.91 | NR | NR | <0.033 | 0.210 | <0.0067 | 0.0021 | 0.0120 | <0.0067 | 0.74 | 0.45 | NA | |
| | 8/1/2005 | | 3.02 | NR | NR | <0.005 | 0.088 | <0.00034 | <0.00032 | <0.00038 | <0.00044 | 0.21 | 0.92 | NA | |
| | 8/1/2006 | | 3.28 | NR | NR | <0.005 | 0.059 | <0.00034 | <0.00032 | <0.00038 | <0.00044 | 0.170 | 0.81 | NA | |
| | 4/7/2011 | | 2.05 | 97.12 | ND | <0.00200 | 0.00130 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | <0.0200 | NA | |
| | 7/20/2011 | | 2.26 | | | | | | | | | | | | |

Table 2
Groundwater Analytical Results
UPS Salt Lake City Small Package Facility
2040 West Parkway Boulevard
West Valley City, Utah

| Well ID | Date | Relative Well Elevation (feet) | Depth to Water (feet) | Groundwater Elevation (feet) | Product Thickness (feet) | Groundwater Concentrations (mg/L) | | | | | | | | |
|---------|------------|--------------------------------|-----------------------|------------------------------|--------------------------|--|---------------|------------|---------------|---------------|-------------|--------------|---------|--------------|
| | | | | | | MtBE | Benzene | Toluene | Ethyl Benzene | Total Xylenes | Naphthalene | TPH-GRO | TPH-DRO | Oil & Grease |
| EW-2 | 2/1/1991 | Not Surveyed | NR | NR | NR | NA | 1.3 | 1.8 | <0.002 | 2.1 | NA | 40 | NA | NA |
| | 8/1/2001 | | NR | NR | <0.002 | 0.0655 | <0.002 | 0.0091 | 0.0098 | 0.013 | 0.66 | 1.5 | NA | NA |
| EW-3 | 2/1/1991 | Not Surveyed | NR | NR | NR | NA | 2.6 | 2.3 | 0.06 | 2.2 | NA | 43 | NA | NA |
| | 2/1/1995 | | NR | NR | NR | NA | 5.1 | 0.18 | 1.0 | 0.56 | 0.12 | 18 | NA | NA |
| | 2/1/1996 | | NR | NR | NR | NA | 2.7 | 0.15 | 0.87 | 0.21 | 0.18 | 20 | NA | NA |
| | 10/1/1998 | | 3.23 | | | 0.0029 | 0.92 | 0.061 | 0.17 | 0.06 | 0.059 | 4.2 | NA | NA |
| | 4/6/2010 | | 2.49 | 97.26 | ND | <0.001 | 0.430 | 0.003 | <0.001 | <0.003 | <0.002 | 0.653 | <1 | NA |
| | 4/7/2011 | | 2.06 | 97.69 | ND | <0.00200 | 0.338 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.393 | NA | 3.26 |
| | 7/20/2011 | | 2.49 | 97.26 | ND | <0.00200 | 0.221 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.261 | NA | <3.00 |
| | 9/29/2011 | | 3.00 | 96.75 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/3/2012 | | 3.31 | 96.44 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/9/2012 | | 3.19 | 96.56 | ND | <0.00200 | 0.319 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.319 | NA | NA |
| | 4/30/2013 | | | | | Well Not Accessible - Square steel lid for well vault was spot welded shut between October 2012 and April 2013 sampling events | | | | | | | | |
| | 10/17/2013 | | 2.75 | 97.00 | ND | <0.00200 | 0.289 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.289 | NA | NA |
| | 4/23/2014 | | 2.73 | 97.02 | ND | <0.00200 | 0.198 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.236 | NA | NA |
| | 10/2/2014 | | 2.04 | 97.71 | ND | <0.005 | 0.197 | <0.005 | <0.005 | <0.005 | <0.005 | 0.32 | NA | NA |
| EW-4 | 4/7/2011 | 99.75 | 2.33 | 97.45 | ND | <0.00200 | 0.175 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.249 | NA | 3.17 |
| | 7/20/2011 | | 2.65 | 97.13 | ND | <0.00200 | 0.123 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.144 | NA | <3.00 |
| | 9/29/2011 | | 3.21 | 96.57 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/3/2012 | | 3.27 | 96.51 | ND | <0.00200 | 0.207 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.214 | NA | NA |
| | 10/9/2012 | | 3.40 | 96.38 | ND | <0.00200 | 0.188 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.214 | NA | NA |
| | 4/30/2013 | | 2.50 | 97.28 | ND | <0.00200 | 0.170 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.181 | NA | NA |
| | 10/17/2013 | | 3.05 | 96.73 | ND | <0.00200 | 0.166 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.166 | NA | NA |
| | 4/23/2014 | | 2.95 | 96.83 | ND | <0.00200 | 0.140 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.161 | NA | NA |
| | 10/2/2014 | | 2.42 | 97.36 | ND | <0.005 | 0.134 | <0.005 | <0.005 | <0.005 | <0.005 | 0.25 | NA | NA |
| | 4/22/2015 | | 2.90 | 96.88 | ND | <0.00200 | 0.161 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.213 | NA | NA |
| | 10/14/2015 | | 3.29 | 96.49 | ND | <0.00200 | 0.175 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.225 | NA | NA |
| | 5/19/2016 | | 2.84 | 96.94 | ND | <0.00200 | 0.167 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.218 | NA | NA |
| EW-5 | 2/1/1991 | 99.68 | NR | NR | NR | NA | 3.300 | 3.8 | 0.16 | 1.7 | NA | 39 | NA | NA |
| | 4/7/2011 | | 2.06 | 97.62 | ND | 0.00274 | 3.070 | 0.0181 | 0.102 | 0.288 | 0.0194 | 4.02 | NA | <3.00 |
| | 7/20/2011 | | 2.63 | 97.05 | ND | <0.0400 | 2.520 | <0.0400 | 0.0922 | <0.0400 | <0.0400 | 3.05 | NA | <3.00 |
| | 9/29/2011 | | 3.11 | 96.57 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/2/2012 | | 3.28 | 96.40 | ND | <0.00200 | 2.530 | 0.030 | 0.214 | 0.0441 | 0.0266 | 3.530 | NA | <3.00 |
| | 10/9/2012 | | 3.36 | 96.32 | ND | 0.00211 | 1.900 | 0.00315 | 0.0911 | 0.00796 | 0.00304 | 2.280 | NA | <3.00 |
| | 4/30/2013 | | 2.27 | 97.41 | ND | 0.00205 | 2.170 | 0.0232 | 0.178 | 0.0346 | 0.0272 | 2.730 | NA | <3.00 |
| | 10/18/2013 | | 2.85 | 96.83 | ND | <0.00200 | 1.660 | 0.00803 | 0.0356 | 0.0145 | 0.00975 | 1.960 | NA | <3.00 |
| | 4/23/2014 | | 2.71 | 96.97 | ND | <0.00200 | 1.450 | 0.0129 | 0.0952 | 0.0214 | 0.0174 | 1.950 | NA | <3.00 |
| | 10/2/2014 | | 2.26 | 97.42 | ND | <0.005 | 1.30 | 0.004 | 0.009 | 0.006 | 0.006 | 1.57 | NA | <5 |
| | 4/22/2015 | | 2.77 | 96.91 | ND | <0.00200 | 1.310 | 0.00279 | 0.00535 | 0.00381 | 0.00297 | 1.660 | NA | NA |
| | 10/14/2015 | | 3.21 | 96.47 | ND | <0.0400 | 1.360 | <0.0400 | <0.0400 | <0.0400 | <0.0400 | 1.360 | NA | NA |
| | 5/19/2016 | | 2.79 | 96.89 | ND | <0.00200 | 1.340 | 0.0138 | 0.0398 | 0.0127 | <0.00200 | 1.850 | NA | NA |
| EW-9 | 2/1/1991 | Not Surveyed | NR | NR | NR | NA | 1.4 | 3.0 | 0.02 | 1.9 | NA | 34 | NA | NA |
| | 8/1/2001 | | 5.90 | NR | <0.29 | 0.445 | 0.196 | 0.0887 | 0.154 | <0.029 | 2.3 | 2.7 | NA | NA |
| EW-10 | 2/1/1991 | 103.53 | NR | NR | NR | NA | 0.35 | 0.96 | <0.002 | 1.6 | NA | 23 | NA | NA |
| | 8/1/2001 | | 8.77 | NR | NR | <0.002 | 0.025 | <0.002 | <0.002 | <0.006 | <0.002 | <0.5 | <0.5 | NA |
| | 4/3/2003 | | 10.31 | NR | NR | <0.005 | 0.051 | <0.005 | <0.005 | 0.0055 | NA | 0.0058 | 0.00010 | NA |
| | 6/1/2004 | | 7.64 | NR | NR | <0.005 | 0.025 | <0.001 | 0.0021 | <0.002 | <0.001 | 0.051 | <0.25 | NA |
| | 8/1/2005 | | 7.15 | NR | NR | <0.00025 | 0.024 | 0.00039 | 0.0038 | 0.0031 | 0.00064 | 0.12 | 0.021 | NA |
| | 8/1/2006 | | 8.15 | NR | NR | <0.00025 | 0.069 | <0.00017 | 0.00016 | <0.00019 | <0.00022 | 0.022 | 0.045 | NA |
| | 4/7/2011 | | 6.30 | 97.23 | ND | <0.00200 | 0.374 | 0.00876 | 0.0921 | 0.0177 | 0.0172 | 0.871 | NA | NA |
| | 7/20/2011 | | 6.48 | 97.05 | ND | <0.00200 | 0.524 | 0.0140 | 0.162 | 0.0348 | 0.0416 | 1.19 | NA | NA |
| | 9/29/2011 | | 7.05 | 96.48 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 5/3/2012 | | 9.23 | 94.30 | ND | <0.00200 | 0.0197 | <0.00200 | <0.00200 | <0.00200 | <0.00200 | <0.0200 | NA | NA |
| | 10/9/2012 | | 8.09 | 95.44 | ND | <0.00200 | 0.0837 | <0.00200 | 0.0115 | <0.00200 | 0.00241 | 0.146 | NA | NA |
| | 5/1/2013 | | 7.46 | 96.07 | ND | <0.00200 | 0.0594 | <0.00200 | 0.00675 | 0.00328 | 0.00256 | 0.0783 | NA | NA |
| | 10/18/2013 | | 6.58 | 96.95 | ND | <0.00200 | 0.695 | 0.0154 | 0.172 | 0.0294 | 0.0411 | 1.28 | NA | NA |
| | 4/23/2014 | | 7.56 | 95.97 | ND | <0.00200 | 0.0359 | <0.00200 | 0.00500 | <0.00200 | <0.00200 | 0.0409 | NA | NA |
| | 10/2/2014 | | 6.35 | 97.18 | ND | <0.005 | 0.232 | 0.004 | 0.035 | 0.004 | 0.008 | 0.47 | NA | NA |
| WO-1 | 4/1/1990 | 100.00 | 3.40 | NR | NR | NA | NA | NA | NA | NA | NA | NA | NA | 30 |
| | 2/1/1991 | | NR | NR | NR | NA | 2.7 | 3.9 | 0.94 | 2.5 | NA | 46 | NA | 11 |
| | 9/1/1991 | | NR | NR | NR | NA | 0.36 | 0.21 | 0.23 | 0.46 | <0.004 | 7 | NA | 14 |
| | 1/1/1992 | | NR | NR | NR | NA | 0.66 | 0.12 | 0.23 | 0.35 | 0.46 | 15 | NA | 12 |
| | 4/1/1992 | | NR | NR | NR | NA | 3.4 | 0.27 | 0.95 | 0.81 | 0.19 | 23 | NA | 13 |
| | 7/1/1992 | | NR | NR | NR | NA | 6.0 | 0.63 | 1.9 | 3.1 | 0.31 | 40 | NA | <50 |
| | 4/5/2010 | | 3.37 | 96.63 | ND | <0.001 | 0.132 | 0.096 | 0.360 | 0.494 | 0.074 | 2.85 | <1 | NA |
| | 4/7/2011 | | 2.47 | 97.53 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 7/20/2011 | | 3.09 | 96.91 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/9/2012 | | 3.76 | 96.24 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 4/30/2013 | | 2.84 | 97.16 | ND | NS | NS | NS | NS | NS | NS | NS | NS | NS |
| | 10/16/2013 | | 3.40 | 96.60 | ND | NS | NS</td | | | | | | | |

Table 2
Groundwater Analytical Results
UPS Salt Lake City Small Package Facility
2040 West Parkway Boulevard
West Valley City, Utah

Explanation of Abbreviations

mg/L = milligrams per liter

MtBE = methyl tertiary butyl ether

TPH-GRO = gasoline-range total petroleum hydrocarbons

TPH-GRO = gasoline-range total petroleum hydrocarbons

\leq = analyte not detected above the presented laboratory reporting limit

RBCA = Risk-Based Corrective Action

RBCA = Risk-Based Casing
TOC = top of casing

NM = not measured

NM = not measured
ND = not detected

ND = not detected
NS = not sampled

NS = not sampled
NA = not analyzed

NA = not analyzed
NR = data not reported

bold = exceeds Initial Screening Level

bold = exceeds initial Screening Level
bold = exceeds RBCA Tier 1 Screening Level

NOTES: The analytical method for these data have changed over the years, and are currently being updated. All data collected prior to 2010 and presented above in this table was obtained by Stantec, collected by others and cannot be confirmed, verified, or validated by Stantec.

April 2011 groundwater sampling conducted on dates shown for applicable wells. All recorded groundwater elevations were recorded on April 7, 2011

April 2011 groundwater sampling conducted on dates shown for applicable wells. All recorded groundwater elevations were recorded on April 7, 2011.

Environmental Covenant

UST Releases EFJW and EFYI, United Parcel Service, Salt Lake City Small Package Facility

FIGURES



Aug 15, 2017
Date

Date _____

A parcel of land located in the Southwest Quarter of Section 22, Township 1 South, Range 1 West, Salt Lake Base & Meridian, said parcel being more particularly described as follows:


Beginning at a point being N00°03'10"W 1065.87 feet, along the Center Section Line, and West 1847.55 feet from the South Quarter Corner of said Section 22 and running thence Southwesterly 43.84 feet along the arc of a 15.00 foot radius curve to the right, chord bears S84°39'58" W 29.22 feet; thence N31°27'27" W 32.36 feet, thence Northwestally 15.96 feet along the arc of a 10.00 foot radius curve to the left, chord bears N80°11'44" W 12.00 feet, thence S51°48'05" W 128.63 feet, thence Northwesterly 54.25 feet along the arc of a 40.00 foot radius curve to the right, chord bears N85°11'21" W 50.19 feet; thence Northwesterly 57.87 feet along the arc of a 50.00 foot radius curve to the right, chord bears N10°20'37" W 54.70 feet, thence N21°35'52" E 64.49 feet, thence N43°15'17" E 123.10 feet, thence N47°16'38" E 30.05 feet, thence N37°42'36" E 35.76 feet, thence N25°30'16" E 29.17 feet, thence N05°54'12" W 28.53 feet, thence Northeastally 63.64 feet along the arc of a 20.00 foot radius curve to the right, chord bears N00°11'16" S 39.99 feet; thence S117°17'11" E 89.70 feet, thence S20°01'29" E 468.20 feet to the Point of Beginning.

Contains 60,826 SF or 1.40 AC

Note: The Basis of Bearings for this description is between 2 existing Salt Lake County Section Corner Monuments. The Bearing between the South Quarter Corner and the Center Quarter Corner of Section 22, Township 1 South, Range 1 West, Salt Lake Base & Meridian is N00°3'01.7" W as shown on the Salt Lake County ARP.



EVAN J. WOOD
P.L.S. No. 183395



Summary of Concentrations in Excess of UDEQ-DERR Standards

| Location | Date | Soil (mg/Kg) | | Groundwater (mg/L) | |
|----------|----------|-----------------|---------|-----------------------|---------|
| | | Benzene | TPH-GRO | Benzene | TPH-GRO |
| NB04B | 05/02/12 | 1.6 | 156 | | |
| NBW04 | 04/27/10 | 37 | 2,600 | | |
| WO-12 | 04/06/11 | 0.327 | | | |
| NB11 | 04/27/10 | | 645 | | |
| NB18 | 04/27/10 | 0.475 | | | |
| EW-1 | 10/02/14 | | | 0.008 | |
| EW-3 | 10/02/14 | | | 0.197 | |
| EW-4 | 10/02/14 | | | 0.134 | |
| EW-5 | 10/02/14 | | | 1.3 | 1.57 |
| EW-10 | 10/02/14 | | | 0.232 | |
| WO-4 | 10/01/14 | | | 0.243 | |
| WO-5 | 10/01/14 | | | 0.163 | |

LEGEND

- SAMPLED WELLS
 - SUB SLAB VAPOR SAMPLE LOCATION
 - APPROXIMATE BREATHING SPACE SAMPLE LOCATION
 - BORING LOCATION
 - DISPENSER

GROUNDWATER AND SOIL CONCENTRATIONS
WITHIN THE HIGHLIGHTED AREA EXCEED
UDEC-DERR CLEANUP STANDARDS

UDEQ- UTAH DEPT. OF ENV. QUALITY DIV. OF ENV.
DERR RESPONSE AND REMEDIATION

A scale bar with markings at 0, 100, and 200 feet. Below it is the text "APPROXIMATE SCALE IN FEET".

Digitized by srujanika@gmail.com

5 100 200

 Stantec

3995 SOUTH 700 EAST, SUITE 300
SALT LAKE CITY, UTAH

EOP:

UNITED PARCEL SERVICE
SALT LAKE CITY
SMALL PACKAGE FACILITY
2040 PARKWAY BLVD
WEST VALLEY CITY, UTAH

DETAIL PLAN MAP

FIGURE

2

No warranty is made by Statpac as to the accuracy, reliability, or completeness of these data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed electronically and may be updated without notification. Any reproduction may result in a loss of scale and/or information.

3995 SOUTH 700 EAST, SUITE 300
SALT LAKE CITY, UTAH
(800) 243-0000 FAX:(801) 246-1671
JOB NUMBER: DRAWN BY: CHECKED BY: APR.
212204036 ARA AS
ILEPATH:V:\2122\Active\212204036\drawingsurvey\UPS-WestValley_SITE-715.dwg [askinner] Aug 15, 2017 at 14:24|Layout: SP DETAILS w tab